



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report(s). This authorization also applies to the Multiple Listee model(s) identified on the correlation page of the Listing Report. This document is the property of Intertek Testing Services and is not transferable. The Certification Mark(s) may be applied only at the location of the Party Authorized to Apply Mark.

Applicant: Rav-Bariach Industries Ltd
31 Haofe

Ashkelon

Country: Israel

Contact: Peter Nicoara

Phone: 972-7-32294806

Fax: 972-8-6794920

Email: peter_n@rav-bariach.com

Party Authorized to Apply Mark: See following page(s)
Evaluation Center: Intertek (Middleton)

Control/Client Number: 179562

Authorized By: 
Thomas J. Patterson, Director of Certification

Intertek Testing Services NA, Inc.
545 E. Algonquin Road, Ste H, Arlington Heights, IL 60005 USA
Phone 847-439-5667 Fax 847-439-7320



Intertek

Intertek

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Testing Standard{s):	:UL 10(c) (2009):NFPA 252 (2012)
Product:	Rav-Bariach FW90 Fire Door and Frame

ATM for Report 101476425MID-008r2

ATM Issue Date: 05/31/2015

Listing Section(s): CATEGORY D - DOOR/FRAME ASSEMBLIES

CSI Code: 08 10 00 Doors and Frames

Description:

Rav-Bariach FW-90 Fire Door and Frame

Product Description:

Single swing hollow metal fire door and metal fire door frame for installation in up to 90 minute locations in Stud and Gypsum, masonry or concrete walls.

MAXIMUM NOMINAL SIZES:

Single: 3'-4" x 7'-2"

Standard Pairs: Not Allowed

Double Egress Pairs: Not Allowed

Minimum Door Thickness: 2" (52 mm)

**Party(s) Authorized by
Manufacturer To Apply Mark:**

None

**Party(s) Authorized by Other Parties To Apply
Mark:**

None